

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"system of linear equation" and @ad<"20021104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:49
L2	0	"system of linear equations" and @ad<"20021104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:49
L3	8095	(linear adj (equation\$1 or expression\$1)) and @ad<"20021104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:50
L4	253	3 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:50
L5	146	4 and condition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:52
L6	82	5 and estimat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:52
L7	124	5 and (estimat\$3 or approximat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:52
L8	85	7 and (updat\$3 or adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:52

## EAST Search History

L9	73	8 and (solv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:56
L10	18	708/440-446.ccls. and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:05
L11	35	recursive and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:06
L12	2	"6587590".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:51
S1	3	((zakharov.in. and yuriy.in.) or (tozer.in. and tomothy.in.)) and solv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:59
S2	2	"5062102".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 19:51
S3	39	("5301342" "5319586" "5323007" "5392429" "5464868" "5490278" "5548798" "5604911" "5682341" "5717621" "5732001" "5887186" "5907497" "5949480" "6078938" "6209014" "6212478" "6230101" "6256587"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:43
S4	253	"708"/\$.ccls. and @ad<"20021104" and (linear adj (equation\$1 or expression\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 20:14

## EAST Search History

S5	44	"708"/\$.ccls. and @ad<"20021104" and (linear adj (equation\$1 or expression\$1)).ti,clm,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:20
S6	10	708/446.ccls. and @ad<"20021104" and recursive and (updat\$3 or adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:24
S7	102	708/446.ccls. and @ad<"20021104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:24
S8	69	S7 and linear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:36
S9	50	maximum and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:36
S10	54	(maximum or largest) and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:41
S11	505888	(linear adj\$2 (equation\$1 or expression\$1)) and @ad<"20021104" and (updat\$3 or adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:42
S12	128012	(linear adj\$2 (equation\$1 or expression\$1)).ti,clm,ab. and @ad<"20021104" and (updat\$3 or adjust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:42

## EAST Search History

S13	2316	S12 and scalar\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:42
S14	105	S13 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:42
S15	39	("5301342" "5319586" "5323007" "5392429" "5464868" "5490278" "5548798" "5604911" "5682341" "5717621" "5732001" "5887186" "5907497" "5949480" "6078938" "6209014" "6212478" "6230101" "6256587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:43
S16	1	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:43
S17	14	("4787057"   "5113523"   "5274832"   "5301342").PN. OR ("5490278").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 21:44
S18	65	solv\$3 and S14	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 21:44
S19	65	solv\$3 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:45
S20	49	condition\$3 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:46

## EAST Search History

S21	18	S20 and (arg or argument or (arg adj min) or (arg adj max))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:51
S22	3	recursive and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 21:51

Google

Web Images Video News Maps more »

recursive system linear of equations

Search

Advanced Search  
Preferences

Web

Results 1 - 10 of about 1,120,000 for recursive system linear of equations. (0.17 seconds)PDF] New recursive algorithm for solving linear algebraic equations ...

File Format: PDF/Adobe Acrobat

conditioned equations but also in recursive identification, signal processing and many other areas. ... 'Approximate solution for system linear equations' ...

eeexplore.ieee.org/iel1/2220/5244/00204586.pdf?arnumber=204586 - Similar pages

Recursive interpolation algorithm: a formalism for solving systems ...

Solving a system of linear equations will be interpreted as an interpolation problem. This new approach led us to a general algorithm called the recursive ...

cat.inist.fr/?aModele=afficheN&amp;cpsidt=2513341 - Similar pages

CAT.INISTThe problem is studied here for  $p > 0$  in the context of an  $(m + p)$ -dimensional system of linear recursion equations satisfied by the values of the  $m$ -th ...

cat.inist.fr/?aModele=afficheN&amp;cpsidt=17006524 - Similar pages

PDF] Generalized Path Analysis and Generalized Simultaneous Equations ...

File Format: PDF/Adobe Acrobat

Two-Equation Systems. In the linear recursive SiEM/PA model setting, a multiequation system can be analyzed first by applying any appropriate ...

www.leaonline.com/doi/pdf/10.1207/s15328007sem1302\_4 - Similar pages

Linear Constant-Coefficient Difference EquationsAn important subclass of linear systems consists of those whose input  $x[n]$  and ... IIR ~ RECURSIVE ~ FEED BACK. The SOLUTION of a difference equation is ...

cnx.org/content/m12325/latest/ - 47k - Cached - Similar pages

JSTOR: Linear Recursive Equations, Covariance Selection, and Path ...

LINEAR RECURSIVE EQUATIONS By a system of linear recursive equations with independent errors is understood a set of equations (Wold 1954, 1960; ...

links.jstor.org/sici?sici=0162-1459(198012)75%3A372%3C963%3ALRECSA%3E2.0.CO%3B2-I - Similar pages

JSTOR: Recursive Systems Containing Qualitative Endogenous ...

If these models are specified as recursive systems, the estimating equations contain parameters which are not estimable. The problem stems from the nature ...

links.jstor.org/sici?sici=0012-9682(198004)48:3%3C761:RSCQEV%3E2.0.CO;2-2 - Similar pages

Solution of a system of linear difference equations (GAUSS)

Author(s): Paul Klein. 2000 Abstract: Solves for the recursive representation of the stable solution to a system of linear difference equations.

deas.repec.org/c/dge/qmrbcd/14.html - 7k - Cached - Similar pages

A recursive method for determining the one-dimensional submodules ...

As the recursion proceeds, the matrix equations will have constant coefficients with ... On rational solutions of systems of linear differential equations. ...

portal.acm.org/citation.cfm?id=1145806&amp;

mp=abstract&amp;coll=ACM&amp;dl=GUIDE&amp;CFID=15151515&amp;C... - Similar pages

PDF] Democracy, Economy, and Values: Estimating a Recursive System

File Format: PDF/Adobe Acrobat - View as HTML

response paths, we simply solve the estimated system of linear-difference equations and compare those results to the same system plus whatever hypothetical ...

www-personal.umich.edu/~franzese/demecval.recursive.pdf - Similar pages

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

Download [Google Pack](#): free essential software for your PC

---

recursive system linear of equations   

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

recursive system linear of equations

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 21 - 30 of about 1,120,000 for recursive system linear of equations. (0.10 seconds)**Session M10 - Numerical Methods for Strongly Corrected Systems.**

[M10.013] A Sparse Vector **Recursion** for Large **Linear Systems**. Roger Haydock (University of Oregon). The Heisenberg **equation** for interacting electrons and ...  
[lux.aps.org/meetings/YR02/MAR02/baps/abs/S4500.html](http://lux.aps.org/meetings/YR02/MAR02/baps/abs/S4500.html) - 18k - [Cached](#) - [Similar pages](#)

**IngentaConnect Matrix recursive interpolation algorithm for block ...**

Solving a **system** of block **linear equations** will be interpreted as a matrix ... general algorithm called the matrix **recursive** interpolation algorithm (MRIA), ...  
[www.ingentaconnect.com/content/els/00243795/1999/00000294/00000001/art00056](http://www.ingentaconnect.com/content/els/00243795/1999/00000294/00000001/art00056) - Similar pages

**OUP: UK General Catalogue**

Classical Solution of **Linear Difference Equations**. 9.6. **System Stability ... Recursive Filter Design: The Impulse Invariance Method ...**  
[www.oup.co.uk/isbn/0-19-521917-1](http://www.oup.co.uk/isbn/0-19-521917-1) - 41k - [Cached](#) - [Similar pages](#)

**[PDF] The statistical analysis of overidentified linear recursive models**

File Format: PDF/Adobe Acrobat  
 estimation of **recursive systems** under any sort of **linear** homogeneous 4 con-. straint on the coefficients, whether within or across **equations**. Further, its ...  
[www.springerlink.com/index/P674411627UK6X88.pdf](http://www.springerlink.com/index/P674411627UK6X88.pdf) - [Similar pages](#)

**[PDF] Model reduction of multidimensional linear shift-invariant ...**

File Format: PDF/Adobe Acrobat  
**MULTIDIMENSIONAL LINEAR SHIFT-INVARIANT RECURSIVE SYSTEMS** ... corner, also lies in E. Condition (7a) enables us to split the **system of equations** ...  
[www.springerlink.com/index/PL32665330N30084.pdf](http://www.springerlink.com/index/PL32665330N30084.pdf) - [Similar pages](#)

**System of linear equations - Wikipedia, the free encyclopedia**

In mathematics and **linear algebra**, a **system of linear equations** is a set of **linear equations** ... we can use Levinson **recursion** or one of its derivatives. ...  
[en.wikipedia.org/wiki/System\\_of\\_linear\\_equations](http://en.wikipedia.org/wiki/System_of_linear_equations) - 23k - [Cached](#) - [Similar pages](#)

**[PDF] Guide expansions for the recursive parametric solution of ...**

File Format: PDF/Adobe Acrobat  
 the feedback coefficient  $h=h$  is crucial in this **recursive system**. ... Hence the **equations** for  $p > 0$  form a **system**. of driven **linear ODEs** ...  
[www.austms.org.au/Publ/Jamsb/V47P3/pdf/2364.pdf](http://www.austms.org.au/Publ/Jamsb/V47P3/pdf/2364.pdf) - [Similar pages](#)

**Journal of the ACM -- 1977**

A transformation **system** for developing **recursive** programs. Journal of the ACM , 24 (1):44-67, ... A **linear** time algorithm for deciding subject security. ...  
[theory.lcs.mit.edu/~jacm/jacm77.html](http://theory.lcs.mit.edu/~jacm/jacm77.html) - 19k - [Cached](#) - [Similar pages](#)

**Ülle Kotta**

Input-Output Decoupling of Nonlinear **Recursive Systems**. ... Dynamic disturbance decoupling for discrete-time nonlinear **systems**: a **linear** algebraic approach. ...  
[www.cc.ioc.ee/jus/yllee.htm](http://www.cc.ioc.ee/jus/yllee.htm) - 10k - [Cached](#) - [Similar pages](#)

**Math & CS library-Math Classification**

71 Ordinary Differential **Equations**, Bifurcation, Chaos, ODE Aspects of Dynamical **Systems** 72 Partial Differential **Equations**, Boundary Problems 73 Non-linear ...  
[www.ma.huji.ac.il/~library/classm.htm](http://www.ma.huji.ac.il/~library/classm.htm) - 12k - [Cached](#) - [Similar pages](#)



recursive system linear of equations

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Results for "(((((((recursive <and> linear <and> (equation <or> expression)))<in>metadata...")  
Your search matched 7 of 52 documents.  
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((((((recursive <and> linear <and> (equation <or> expression)))<in>metadata))<and>

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine  
IET JNL IET Journal or Magazine  
IEEE CNF IEEE Conference Proceeding  
IET CNF IET Conference Proceeding  
IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Parametric fault diagnosis for electrohydraulic cylinder drive units**  
Hong-Zhou Tan; Sepehri, N.;  
[Industrial Electronics, IEEE Transactions on](#)  
Volume 49, Issue 1, Feb. 2002 Page(s):96 - 106  
Digital Object Identifier 10.1109/41.982253  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(280 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Application of Fully Decoupled Parity Equation in Fault Detection and Identification of DC Motors**  
Chan, C.W.; Hua, S.; Hong-Yue, Z.;  
[Industrial Electronics, IEEE Transactions on](#)  
Volume 53, Issue 4, June 2006 Page(s):1277 - 1284  
Digital Object Identifier 10.1109/TIE.2006.878304  
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. **A method for unbiased parameter estimation by means of the equation error input covariance**  
Merhav, S.; Gabay, E.;  
[Automatic Control, IEEE Transactions on](#)  
Volume 20, Issue 3, Jun 1975 Page(s):372 - 378  
[AbstractPlus](#) | Full Text: [PDF](#)(576 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **An approximation method for estimation in linear systems with parameter uncertainty**  
Speyer, J.; Gustafson, D.;  
[Automatic Control, IEEE Transactions on](#)  
Volume 20, Issue 3, Jun 1975 Page(s):354 - 359  
[AbstractPlus](#) | Full Text: [PDF](#)(616 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Exponential stability of general tracking algorithms**  
Lei Guo; Lennart Ljung;  
[Automatic Control, IEEE Transactions on](#)  
Volume 40, Issue 8, Aug. 1995 Page(s):1376 - 1387  
Digital Object Identifier 10.1109/9.402229  
[AbstractPlus](#) | Full Text: [PDF](#)(740 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 6. **Parallel smoothing algorithms for causal and acausal systems**  
Taylor, D.; Willsky, A.S.;  
[Decision and Control, 1991., Proceedings of the 30th IEEE Conference on](#)

[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) IEEE CNF  
[Rights and Permissions](#)



**7. Adaptive system identification using cumulants**

Swami, A.; Mendel, J.M.;

Acoustics, Speech, and Signal Processing, 1988. ICASSP-88., 1988 International Conference on

11-14 April 1988 Page(s):2248 - 2251 vol.4

Digital Object Identifier 10.1109/ICASSP.1988.197084

[AbstractPlus](#) | Full Text: [PDF\(300 KB\)](#) IEEE CNF

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by  
 **Inspection**

[Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Fri, 30 Mar 2007, 11:27:19 AM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((recursive system of linear equation)<in>metadata)	0
#2	((recursive <and> linear <and> (equation <or> expression))<in>metadata)	407
#3	(((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<AND>(estimate<in>metadata)))	84
#4	((((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<and>(estimate<in>metadata)))<AND>(system<in>metadata)))	52
#5	(((((((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<and>(estimate<in>metadata)))<and>(system<in>metadata)))<AND>(condition<in>metadata)))	7
#6	(((((((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<and>(estimate<in>metadata)))<and>(system<in>metadata)))<AND>(condition<in>metadata)))	7
#7	(((((((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<and>(estimate<in>metadata)))<and>(system<in>metadata)))<AND>(condition<in>metadata)))	7
#8	(((((((((recursive <and> linear <and> (equation <or> expression))<in>metadata))<and>(estimate<in>metadata)))<and>(system<in>metadata)))<AND>(condition<in>metadata)))	7

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by  
 Inspec<sup>®</sup>